

Collecting support data from the client - user-driven alternative

MarvelClient 11.0.3 added a feature to collect client data from a local machine or device (available on Nomad since 1.0.7). This is useful for situations where an admin cannot pull the data from a machine or device (due to lack of tooling or limitations of the platform). The new feature makes it possible to have admins or helpdesk direct the end-user to send this support data with a few simple clicks.

Make sure the MarvelClient Analyze database is up to date before using this feature.



On Nomad *Menu/Help/Generate a Problem Report* will create a zip file that also includes MarvelClient data. This is another way of getting at this data on mobile devices in case the methods described below are not available.

Collecting via link from the Analyze database

Basically a button in the Analyze database that will collect this information from the current device.


What is being collected

- The MarvelClient working directory (including log and actions.xml)
- Files not older than 5 days and up to 10MB from IBM_TECHNICAL_SUPPORT (console logs and NSDs)
- The notes.ini


How

Direct the end-user to open the Analyze database from the device whose data you want to collect.


When the Analyze database is first opened the Welcome! page is shown.



If the page does not show up it can be opened via the *Welcome!* link in the view navigator



Have the user click on "Collect support data and upload to this database". There is also the option to additionally send the data via Email.



Collecting via mail


This method allows you to configure a mail that is sent to the user(s) and contains a script that will collect the data - either as a button the user needs to press, or as a stored form that runs when the mail is opened.

What is being collected

- The MarvelClient working directory (including log and actions.xml)
- Files from IBM_TECHNICAL_SUPPORT (console logs and NSDs) - maximum size and age can be configured
- The notes.ini

How

Open the MarvelClient Analyze database, select Advanced/Client data collection from the left view navigator



Click the "New data collection config" button

New data collection config

Search in View 'M. Client Data Collection Config'

Search for

Title	Type	Last sent by ...
<div> By agent </div>		
- Received results:		

Client Data Collection

Client Data Collection Help

This document **allows you to send emails to selected users or groups to collect the users local data.**

MarvelClient Client Data Collection configuration

Please choose a Setup Type:	<input type="radio"/> Button <input checked="" type="radio"/> Stored Form Button =Users must open email and click on button therein Stored Form =Client Data Collection starts immediately when user opens email - users do not have to click any buttons (Users for which stored Forms are not allowed in their Mailfile will receive the email with a button they can then click)
Message on reopen mail after collection?	panagenda MarvelClient: Your data is already collected - therefore, this email will close automatically.
email Subject:	Client Data Collection
SendTo:	MCAAdmin/panagenda
Text before button:	<p>To collect your local data, please press the following button:</p> <p>For more enhanced mail design, please use the RichText fields at the end of this document (they are at the end of this document because, in general, RichText fields should not be inside a table).</p> <p>NOTE: The button is sent along with stored forms, too, but only displayed to end users for which stored forms are disabled.</p>
Mailfile Owner?	<input checked="" type="checkbox"/> Only run this data collection for the owner of the mailfile from where it is opened
Message if other user:	This email is only intended for the owner of this mailfile and will therefore close automatically.
Message on success:	Your data is collected successfully.
Message on fail:	Collection of you local data failed - please contact the sender of this email.
Autoclose Mail?	<input checked="" type="checkbox"/> Automatically close email after successful collection
Collected data:	<input type="radio"/> send via E-Mail <input checked="" type="radio"/> upload to MC Analyze DB
Analyze path:	cronus/panagenda!!panagenda\analyze_dev.nsf
Max size of a single file:	5MB 0 = no size limitation. If files exceed the specified size, they are not collected.
Maximum file age in days:	7 0 = no limitation. If files exceed the specified age, they are not collected.

(optional) Richtext before Button:

(optional) Richtext after Button:

After configuration set SendTo to the user(s) or group that should receive the mail and click the "Save" button - you will be asked if you want to send out the mails now.

When the user(s) receive the mail, have helpdesk or admins direct them to open it (and press the button).

Accessing the collected data

The collected data is available in the Analyze database - select Advanced/Client data collection from the left view navigator.

It is categorized by the collection configurations title and the abbreviated Notes username. There is a special top level category "By agent..." that shows the data that was collected directly via the link in the welcome page.

The documents can be opened and will contain the data in an archive named mc_support.zip.