

## Hybrid Environments and What They Mean for HCL Notes and Nomad

May 04<sup>nd</sup>, 2023



#### **Host & Speaker**





Xaver Benz
Head of Marketing and Training
xaver.benz@panagenda.com



Christoph Adler Senior Solution Architect
christoph.adler@panagenda.com

#### **Before We Start**





#### All attendee lines are muted

This is to prevent interruptions during the presentation.



### Please submit questions via the Chat or Q&A panel

Your questions will be addressed directly during the webinar or in the Q&A section after the presentation.



#### The webinar is being recorded

After the webinar, we will send you a mail to give access to the recording and presentation slides.




#### Share your feedback with us

Use the link provided at the end to let us know what we can do better.

#### Agenda



- What "Hybrid" means for Notes/Domino/Nomad
- Case 1 Configuring Notes and Nomad to work smoothly without mail
- Case 2 Handling Domino applications that send mail
- Notes Vs. Nomad Web



#### What hybrid means for Notes/Domino/Nomad



- > Typically, that means that customers migrate "Mail, Calendar, Contacts"
- ➤ In case of a migration, it's more than 95% customers go to M365
   → (at least) Outlook
- > Trigger is often Teams
- > Domino applications remain on the Domino servers
  - → this opens consolidation potential

By the way: During a Migration EVERYTHING is COMPLEX

Again - nowadays: Domino applications remain on the Domino servers


#### What needs to be changed in Notes/Domino/Nomad



- > Server consolidation (easy on the server, challenging on the client)
- ➢ People lose their (Mail)-Home-Server
  - Person document (Domino Directory)
  - Location document (Client)
- > Notes/Nomad needs to be reconfigured for
  - Mail
  - Applications

#### What needs to be changed in Notes/Domino/Nomad








	Jane Doe/panagenda-demo Jane.Doe@mc-demo.panagenda.info								
Ва	asics   Work/Home   Other	Miscellaneous	Certificates   Roaming   Administration						
3		First name:	<sup>™</sup> Jane <u>』</u>						
		Middle name:	r <sub>a</sub>						
		Last name:	<sup>□</sup> Doe 』						
Ва	nsics								
ι	Jser name:		ି Jane Doe/panagenda-demo Jane Doe ୍ର						
A	Alternate name:								
	Short name/UserID and/or or SMTP:	Internet address	<b>s</b> 『JaneDoe』						
F	Personal title:		『Mrs.』▼						
(	Generational qualifier:		r •						
lı	nternet password:		Enter Password						
F	Preferred language:		r J						
Ma	ail								
N	Mail system:		ீ Other 』 ▼						
	Domain:		ீ panagenda-demo-m365						
C	Other address:		r _						
li li	nternet address:		『Jane.Doe@mc-demo.panagenda.info』						

#### Tip of the day: Keep your "Mailserver" fields filled









Configuring Notes and Nomad to work smoothly without mail

#### What needs to be changed and removed?



#### Location document(s)

 Ensure that the fields MailServer, MailFile, ImailAddress and Domain are adjusted according to Domino Directory

#### Workspace Icons

- Remove old mailfile db icon (incl. local replica if existing)
- Remove new dummy mailfile db icon
- Do not remove mail-in db icons


#### **Bookmarks**

Remove Mail, Calendar and To Do's



#### MarvelClient Basic - Actions overview





#### MarvelClient Basic - Location(s) for Notes



Basics   Servers   Ports   Mail   Internet Browser   Replication   Instant Messaging   Comments   Advanced   Administration   Instant Messaging   Comments   Advanced   Administra	What	W	hen 🗸	Who Admin										-	
Internal central to envideable	Title:	-ti Ob		in and the Demin a Discrete	Status:	✓ Enab		c ln.			ln e e	1	. 16 .	la	1
Mail file Location:    Mail file   Location   Mail file Location:   Mail file Location:			e current locati	on according Domino Directory			Basics	Servers   Ports	Mail	Internet Br	owser   Replication	n   Instant Mes	saging   Comments	s   Advanced	Administration
Table 1	Click on cells	to en/disable		Runtypes & Repeat	Run On Reference	Only									000~6~
Mail file: SLOCKUP_MAILELE_AUTODETECTs  Domino mail domain: SLOCKUP_MAILELE_AUTODETECTs  Location Action  Location Action  Location Action  C Remove  G of only charger exists  C Only	START		GIN			E)		cation:		(	on Server			▼	
Domino mail domain: %LOOKUP_MAILDOMAIN% C 0 C C C Internet domains to Note a day only 10 Proce a day only 10 Proce a day only 10 Process a day only 10 Pro			Notes Refore DI F				Mail file:			٩	%LOOKUP_MAILF	ILE_AUTODETE	CT%		C 0 C ~ @ ∞
Intermet domain for Notes addresses when connecting directly to the Intermet    Location Action					buckgi. IIII. 1576 Buckgi	. Oriate		nail domain:		9	%LOOKUP MAILD	OMAIN%			0 0 0 ~ 0 w
Location Action  Recipient name type-ahead: Location Activate recipient name type-ahead: On Each Character  C Only dadge femile C Only dadge femil	* Persustent:  *** Unce only *** Unce a day only *** Unce from start to end  Remarks:													.00°°∞	
Accordance recomplementations before Logal dates and the following formulas general server:    Continued   Continu		Location Act	ion				Recipient	name type-ahead	d:	l	Local then Server			_	⊙ 0 ° ° ° ° ∞
Corry add from existent  C Add / change Location Name(s)  F Ad match C Add / change Location Name(s)  An index locationS2 An index locationS3 An index locationS3 An index locationS3 An index locationS4 An i							Activate re	Activate recipient name type-ahead:			On Each Character   ▼			•	⊙ 0 C ~ C ∞
Full match  Contact in Contact Sociations  Wail addressing:  Wail addressing	ction:	On: C Only add if non-existent C Add / change Location Name(s) Full match <^notes:location\$>						Local Local			Stop after first match  ▼			0 0 0 ~ 0 ∞	
Send outgoing mail: through Domino Server  MCDLL > 2.049 for Linux/Mac  In addition to the search type above, filter locations with the following formula:  In addition to the search type above, filter locations with the following formula (sptional):  Format for messages addressed to internet addresses:  Format for me															00 C~ C∞
Run this action before Login dialog, too	Search-type:	C Reg. Exp. Using the regex-escape syntax for references requires MC DLL>= 3.0,0 for Windows				Send outgoing mail:			t	through Domino Server			<b>_</b>	⊙ 0 C ~ C ∞	
Run this action before Login dalog, too    Locations for ALL users ()	Formula:	In addition to th	e search type above,	filter locations with the following formula (optional):					essed to	0 [	MIME Format			•	⊙ 0 0 ~ 0 ∞
Cocation for CURRENT user   Home/mail server: %LOOKUP_MAILSERVER%		☐ Run this ac	tion before Login dialo	og, too	Basics Servers	Ports									
Fig. Advanced   U of ont charge field   Passthru server:   %LOOKUP_MAILSERVER%   C 0 C ~ C ∞															
Basics Servers Ports Mail Internet Browser Replication Instant Messaging Commer  Accept Policy Updates?  Passthru server:  Catalog/domain search server:  Domino directory server:  Sametime server:			_		Home/mail server:			%LOOKUP_M	MAILSER	RVER%			000~0	ω	
Basics Servers Ports Mail Internet Browser Replication Instant Messaging Commer Cocation type:    Catalog/domain search server:   Cocation type:   Cocation typ		0 = do not char	ige field	net location (includes creation of new locations)	Passthru server:								000~0	΄ ω	
Basics Servers Ports Mail Internet Browser Replication Instant Messaging Commer  Compt Policy Updates?	ω = always set field         + = Merge enabled = set at least selected values (Ports only)         Catalog/domain search server         Domino directory server:						er:	r. © 0					@ O C ~ C	ο	
Sametime server:  © 1 C ~ C ∞  Local Area Network  © 0 C ~ C ∞													@ O C ~ C	ω	
.ocation type: Local Area Network ▼ 60 C ~ C ∞			'	1 1 2 2									@ 0 C ~ C	΄ ω	
Courtied Nation						0 ~ 0									
	Location type:		Lo	cal Area Network			<b>-</b>								


#### MarvelClient Basic – Location for Nomad



What										Basics   Servers   Mail   Replication   Comments   Advanced   Administration							
Title:									Statu	S:							
Nomad Loc	cation - Cl	hange o	current location	on accord	ing to Don	ino Dire	ctory			Mail file I	Mail file location:		on Server 🔻		_	C 0 C ~ ⊕ ∞	
Click on cells to en/disable Runtypes & Repeat							Mail file:	Mail file:			%LOOKUP_MAILFILE_AUTO	DETECT%		C 0 C ~ ⊙ ∞			
START		LOGIN					User Ir	nterface		Domino	nail doma	ain:		%LOOKUP_MAILDOMAIN%			C 0 C ~ ⊙ ∞
Before Logi	in (BL)			After	Login (AL)			Whilst Clie	nt is up and runn		Internet domain for Notes addresses when connecting directly to the Internet:						⊙ 0 ೧~ ೧∞
BL Init B	Before Login	ExitNotes	Before DL Befo	ore Sync Be	ore Roam Af	ter Login A	fter Write	Backgr. Init	t FSAC Bac	kı	necting di		nternet:	Local then Server			• 0 C ~ C ∞
★ Persistent	Once or	nlv 🕸	Once a day only	© Once f	om start to end											<b>-</b>	600~0m
		.,	,							Activate r	ecipient na	ame type-ahe	ead:	On Each Character		▼	
Remarks:										Recipien	t name loc	okup:		Stop after first match			⊙ 0 0 ~ 0 ∞
	Changes	the existi	ing current Loca	ation of Nor	ad clients					Mail add				Local then Server  ☐ Type-ahead shows server of	contacts before local ®		•00°0∞
										Send out	Send outgoing mail:		through Domino Server		•	⊙ 0 0 ~ 0 ∞	
Action:	Add if	missing								Format fo	Format for messages addressed to internet addresses:		MIME Format		▼	⊙ 0 0 ~ 0 ∞	
	☐ Run thi	is action be	efore Login dialog, t	too		Г		_			uurcsscs.	•					
	✓ Advance	ced					Basic	s Servers	Mail Rep	li	-		-				1
	0 = do not						Home	Home/mail server:			%LOOK	(UP_MAILSE	ERVER%		000~	· • •	
	co = always	s set field	d is empty in target set at least selecter	•		new locati	Passth	Passthru server:							@ 0 C ~	′ ⊂ ∞	
	+ - Merge	eriableu -	set at least selecter	u values (i oit	s or ily)		Catalo	Catalog/domain search server:							@ 0 C ~	′ ○ ∞	
Basics Ser	vers   Mail	Replica	tion   Comments	s Advance	d Admini	stration	Domin	o directory	server:		● 0 C				@ 0 C ~	′ ○ ∞	
Accept Policy Updates?				Samet	time server:							@ 0 C ~	Сω				
Local Area Network			_	•	0 0 ~ 0	00											
Internet mail address: %LOOKUP_INTERNETMAILADDRESS%			5		0	0 0 ~ 0	00										
Proxy configuration:					<b>*</b>	0 0 ~ 0	00										
Default display name: © Primary names © Alte			C Alterna	ite names	es Œ (			0 0 ~ 0	00								
Prompt for time/date/phone:			○ Ye	C Yes <sup>⊙</sup> No					0 0 ~ 0	00							

#### MarvelClient Basic – Workspace Icons







What		When		Who	_	Admin								
Title: Status: ✓ Enabled														
Masschange - Remove dummy mailfile icon														
Click on cells t	o en/disal	ble			Run	ntypes & Repeat Run On Reference Only								
START		LOGIN						User In	nterface			END		
Before Login	(BL)				After Log	gin (AL)			! Nome	ad backgro	ound!	Client Shutdown		
BL Init Be	fore Login	ExitNotes	Before DL	Before Sync	Before	Roam Afte	r Login	After Write	Backgr. Ini	FSAC	Backgr.	Shutdown		
★ Persistent	Once or	nly 🌣	Once a day or	nly 🖾 Or	nce from	start to end								
Remarks:	Remarks:													
		Action Typ	pe?						Option	s				
C Change		•	Delete			☐ Simul	ate Ma	sschange						
C Change & m	ove to top o	f stack C	Realtime Rel	ocation		✓ Extend	MassD	elete to bookn	narks					
C Move to top	of stack	0	Realtime Res	triction		of the	following	types: 🔽 Re	elative 🔽 H	inted	Absolute			
						Relative	requires	search by rep	lica id; hinted	and abso	lute by serve	emame, directory		
						and/or filename.  Extend MassDelete to replicas (only if the below specified search criteria also								
						match loca								
Server:														
C Full match														
C Wildcards														
C Reg. Exp.														
Directory:														
☐ Ignore ☐ Full match	mail													
Full match     Wildcards	mail													
C Reg. Exp.														
Tiog. Dip.														
Filename:														
C Ignore														
	dummy.n													
C Wildcards	dullilly.ri	51												
C Reg. Exp.														
Replica-ID:														
C Full match														

#### MarvelClient Basic - Bookmarks





Title:							
Remove E	Bookmark -	Calend	lar				
Click on cel	s to en/disal	ole					Runty
START		LOGIN					
Before Lo							After Login
BL Init	Before Login	ExitNotes	Befo	ore DL	Befo	re Sync	Before R
★ Persistent	Once or	nly 🌞	Once	a day o	nly	<b>⊚</b> 0ı	nce from st
Remarks:							
	Target						
C Action (F	omula)						
O URL	official)						
	Bookmark		es				
	O Databa						
Target-type:	C Docum						
	Named	Element					
Link-type:	Relativ	e C Hint	ed	C Abs	ol.		
Replica-ID:	000000	20-0000	n E n (				
Neplica-ID.	000000	JU.UUUU	JEU	,			
Name(d Elem.)	Calenda	-Ee					
rameta Elem.	Calenda						
Class (optional	): 6						
	Target fo	lders					
Target:	All						
	C Specific	c folders on	ily:				
Exceptions?	☐ Exclude	e Folders					
Action:	C Do not	ning					
	○ Create	missing					
	C Create	_		existin	9		
	C Update		ıly				
	<ul> <li>Remov</li> </ul>						








Handling Domino applications that send mail

using the previously MarvelClient Actions

THIS SHOULD STILL/AUTOMATICALLY WORK



In HYBRID scenarios NOMAD WEB can be very helpful

#### Notes Vs. Nomad Web



	HCL Notes	HCL Nomad Web
Scope	Standard, Basic, Admin, Designer	Basic only
Requires deployment	Yes	No (browser only using URL)
Each update takes	Days / Weeks / Months	Minutes
Limitations	No (ehm yes, but)	Yes (Java, OLE, API, Filesystem, OS,)
Supported Operating System	Windows and macOS only	Windows, macOS, Linux (Nomad mobile on iOS and Android)
Using Mail / Mail-In-databases	Yes	Yes
Fully manageable by MarvelClient	Yes	Yes

#### **MarvelClient Basic**



https://www.panagenda.com/marvelclient/modules/marvelclient-basic/



# THANK YOU!



Your Feedback Matters to Us











Achieving Operational Excellence in HCL Notes and Nomad

Bring the Modern and Seamless User Experience You Deserve to HCL Nomad

June 06, 2023

Register Now >



Christoph Adler
HCL Ambassador & Senior Consultant
panagenda

