



The MarvelClient Configuration Database

 Tip: Press [F1] at any time in the MarvelClient Configuration and Analyze databases for context-sensitive help. When creating or editing documents in the MarvelClient configuration database, pressing [F9] validates your input.

The MarvelClient Configuration database is laid out as follows:



The screenshot shows the MarvelClient Configuration database interface. The interface is divided into several sections:

- 1:** A link to the MarvelClient Analyze database (top left).
- 2:** The name of the user who opened the Configuration database (top center).
- 3:** A language selector (top right).
- 4:** The Action bar (top center, below the user name).
- 5:** The Navigator to switch between views and configuration options (left sidebar).
- 6:** The currently opened view or configuration form (main content area).
- 7:** Indicator whether the database was opened on local (red) or on (which) server (green) (bottom left).
- 8:** A link to display version information about the Configuration database (bottom right).

#	Active	0/1	Priority	Type	Who	When	Last modified UTC+SEQ	Conditions
27	4			- Aliases -				
18	7			Bookmark				
7	0			BookmarkFolder				
233	170			BulkDatabase				
4	0			BulkManagement				
6	2			BulkServerList				
1	0			ConfigBookmarks				
1	0			ConfigECL				
2	1			ConfigIDFile				
3	0			ConfigLocations				
2	1			ConfigPreferences				
1	0			ConfigRefreshUserinfo				
1	0			ConfigStatusbar				
1	1			ConfigSystemRPEs				
1	1			ConfigUserassist				
1	1			ConfigWorkspace				
1	1			ConfigZipUnzip				
1	0			ConfigZipUnzipUIContext				
6	0			Connection				
52	6			DesktopIcon				
1	0			EclipseConfigGet				
8	0			EclipseConfigSet				
8	2			EclipsePluginInstallUninstall				
3	0			EclipsePreferences				
2	0			EclipseSametimeAutoStatus				
3	0			EclipseSametimeCommunity				
2	1			EclipseSametimeMeeting				
1	0			EclipseSpellcheckWords				
1	0			EclipseStartupTabs				
2	0			FCL Management				

1. A link to the MarvelClient Analyze database
2. The name of the user who opened the Configuration database
3. A language selector
4. The Action bar
5. The Navigator to switch between views and configuration options
6. The currently opened view or configuration form
7. Indicator whether the database was opened on local (red) or on (which) server (green)
8. A link to display version information about the Configuration database

Topics

- [About Actions](#)

- [About Conditions](#)
- [Configuration Basics - General Fields in the Header Area of Actions](#)
- [The What, When, Who and Admin Tabs](#)
- [About Runtypes](#)
- [About References and Placeholders](#)