

The Finalization tab

The Finalization tab configures everything you want to happen at the end of an upgrade run:

Start Services:

Starts all Windows services listed in this field.

NOTE: MCUUpgrade_StoppedServices is a special value which will restart any services that were stopped before (un)install according to [the Preparation tab](#).

Any non-existing services, or services that are already started, will fail silently = not result in an upgrade error.

Stop and Disable Services:

Stops and disables all herein listed Services.

Any non-existing services, or services that are already stopped or disabled, will fail silently = not result in an upgrade error.

Success Message:

Choose whether you want to display a success message at the end of a successful upgrade. All messages are automatically translated according to [the Language\(s\) tab](#).

Optionally, you can also choose whether the success message should be closed automatically after a certain number of minutes.


Fail Message:

Choose whether you want to display a fail message at the end of a failed upgrade. All messages are automatically translated according to [the Language\(s\) tab](#).

Desktop Preview:

Choose whether you want to display a reduced screenshot of where end users can find the upgraded client on the Windows Desktop at the end of a successful upgrade.

NOTE: The first field (default value=HCL Notes) defines the Title/Name of the shortcut, not the messagebox title!



Cleanup:

Choose whether you want to cleanup up the majority of files (all but MCUUpgrade.exe and MCUUpgrade.log) in the UpgradeDirectory at the end of a successful upgrade.