

Release Notes v3.1.0

New Features

General

- *PowerShell Sensor:*
With this new Sensor Type one can trigger different PowerShell cmdlets with GreenLight. The Output of the PowerShell script is captured by GreenLight and can be used for Alerting and Charting Purpose.

The Sensor is separated into three different Script Types

- Commandlet: Default cmdlets on Windows Host level
- Custom Scripts: Custom Powershell Scripts located on GreenLight box.
- Office 365: Default Cmdlets on Office365 Level

The Option "Command Type" depends if one wants to execute a cmdlet in a Sharepoint PS, Exchange PS or native Powershell.

The screenshot shows a configuration window for a PowerShell sensor. It has four tabs: Settings, Targets, Actions, and Schedule. The Settings tab is selected. Inside the Settings tab, there are four main sections:

- Script Type:** A dropdown menu currently set to "Commandlet".
- Command Type:** A dropdown menu currently set to "Powershell".
- Commandlet Name:** A text input field containing "Get-Service".
- Parameters:** An empty text input field. Below it, a note reads "Parameters separated by spaces or line breaks".

Please read the Powershell Guideline! [PowerShell Guideline](#)

- *Sametime Statistics Sensor - Videomanager:*
Monitoring the Video Manager has been added to this Sensor Type.

Port: SOAP Port of the Meeting Server

Target: Specify the Server which hosts the VideoManager

Type * VideoManager Statistics (Websphere) ▼

Protocol * http ▼

Port * 8882

Timeout * 10000

Username * wasadmin

Password * *****

statistics.ActiveRegistrationCount	-1
statistics.ApiNumber	2.000
statistics.AuditStorageStarted	1
statistics.BridgeId	126.743.118
statistics.BusiedOut	0
statistics.CallCapacity	10.000
statistics.CallsAllowed	5.000
statistics.CallsFree	5.000
statistics.CallSignalFilterCacheSize	0
statistics.CallsUsed	0
statistics.ConferenceCapacity	10.000
statistics.ConferenceIds	0
statistics.ConferenceIVRServices	Conference IVR Service,

- *Sametime Statistics Sensor - Audio/Video:*
Collecting Audio/Video Statistics from the Sametime Server has been added to this Sensor Type

Port: Soap Port of the Media Server

Type * Audio/Video Statistics (Websphere) ▼

Protocol * http ▼


Port * 8884

Timeout * 10000


- statistics.countOfP2PActiveCalls
- statistics.countOfP2PActiveUsers
- statistics.countOfP2PCallsStarted
- statistics.countOfPSActiveCalls
- statistics.countOfPSActiveUsers
- statistics.countOfPSCallsStarted
- statistics.sipAvailability

Improvements

- *Exchange Connectivity Sensor:*
Added UI content whenever you open the measurement results
- *Exchange Health Sensor:*
Added UI content whenever you open the measurement results
- *Sametime Simulations Sensor(s):*
Simulation Data is stored even if the Sensor status !=0.
- *Mail Profile - Group Sync:*
Improved procedure. One needs to enter the right Groupname in order to assign it to the Mail Profile.
- *Cluster Analysis Sensor:*
Exporting the entire Application List is now possible. Right Mouse click - Copy all to Clipboard



- *Info on Node Details Page:*
The message "No Data" is now displayed if no Domino Sensors are active for that Node
- *Create maintenance window for selected server:*
Timezone information needs to be specified whenever a on-demand maintenance window is created.



- **TLS 1.2 Support:**
GreenLight supports TLS 1.2 within all the existing Sensors.
- **HTML User Simulation Sensor:**
This Sensor contains now two time measurements. Login duration + Entire duration (until search string has been found/not found)
- **AutoLogin:**
One can use the following URL to automatically authentication against GreenLight
`https://<greenlight-server>/vimes/vimes.html?username=<username>&password=<password>`
- **Enable/Disable Footer messages:**
Since v3.0.0 , GreenLight sends by default (for certain action types) a footer information text. (e.g. Message created by SERVER[CN=cronus /O=panagenda] on [Mon Dec 05 08:38:11 CET 2016] SENSOR[id=474, name=mail.box]...

This Footer Message can now be disabled in the action itself
- **Server Settings:**
New Server Types can be selected on the Node Level (e.g. MS Sharepoint)

Bug Fix

- **Maintenance Periods:**
Adding empty periodic maintenance periods are no loner possible
- **Server.ElapsedTime:**
GreenLight's internal recalculation for the Server Elapsed.Time supports now a german Domino Server (German language Pack)
- **Server Discovery:**
Sometimes it happened that a second server discovery ended up with duplicate entries. This has now been solved
- **HTML User Simulation:**
Fixed an issue Health Grid issue in combination with HTMM User simulation sensors
- **Disk Statistics Sensor:**
Fixed an issue in which a Domino Disk > 1 TB was filling up the greenlight.log with Warning messages

